


JOURNAL OF SCIENCE, TECHNOLOGY,
MATHEMATICS AND EDUCATION
(JOSTMED)



ISSN: 0748 – 4710

VOLUME 11(3), DECEMBER, 2015

WELCOME TO JOSTMED

Welcome to the Journal of Science, Technology, Mathematics and Education (JOSTMED). The JOSTMED is a scholarly based journal published thrice in a year by the Department of Science Education, School of Science and Science Education, Federal University of Technology, Minna, Nigeria, since September 1998. The scope of the Journal includes the research, development, and practice in all areas of Science, Technology, Mathematics and Education.

INSTRUCTIONS TO CONTRIBUTORS

1. General Guidelines

(i) Types of Manuscripts: The Editorial Board of the Journal of Science, Technology, Mathematics and Education accepts only scholarly and original articles that meet its aim and scope. Contributions must be original, therefore, authors is/are to guarantee that their article is original and not currently being considered for publication elsewhere.

(ii) Language: The JOSTMED is published in English Language.

(iii) Length: Usually full-length article, survey or report should be between 3,000 - 5,000 words (12 – 15 pages).

(iv) Abstract and Keywords: Each article should be summarized in about 150 -200 words, serving as a brief description of the content of the article. In addition, following the abstract, supply 4 - 5 keywords/phrases that characterize the content of the paper and which can be used for indexing purposes.

(v) Manuscript: Manuscripts, including the abstract and references, should be typed double-spaced on A4 paper set-up using Times New Roman, 12 font size.

(vi) Review: Each submission will be subjected to blind peer-review by at least two experts in the fields of the articles. Before the publication of accepted article, corresponding authors will receive a PDF version of their manuscript for final proofing. It should, however, be emphasized that changes in content (new or additional results, corrected values, changes in article title, etc) are not permitted without the approval of the Managing Editor.

2. Copyright

Only original papers will be accepted and processed. Paper accepted will be subjected to viper anti-plagiarize detector software. In addition, no compensation will be given in respect of published papers. However, authors reserve the right to use their own materials for purely educational and research purposes.

3. Format of Submitted Manuscripts

All manuscripts, written in good English, should be submitted electronically as an e-mail attachment (in Microsoft Word format not scanned copy) to the journal e-mail: jostmed@futminna.edu.ng, jostmedscience@yahoo.com or managing editor's e-mail: gambarii@yahoo.com, gambari@futminna.edu.ng.

In a rear occasion, when submitting manuscript in a paper version three copies should be submitted in double line spacing with wide margins, and not more than 12 pages with illustrations inserted. Extra page will attract additional amount of N1,000.00/\$7.00 per page. Each article submitted must be accompanied with an assessment fee of three thousand naira (N3,000) only in cash or bank draft in favour of the Managing Editor (JOSTMED). Submission of manuscript is accepted throughout the year.

The beginning of the manuscript must bear the title of the paper and the full names of authors and their affiliations for correspondence (including e-mail and telephone number). Where there are two or more authors include the addresses for correspondence (e-mail and postal addresses) for the contact author.

Once the article is accepted for publication, the final version should be submitted online. Where that is not possible, the manuscript must be provided, accompanied by a Recordable CD of the same version labelled with: author name(s); titles of article and file name. The author must ensure that the final submission is complete, grammatically correct and without spelling or typographical errors. In preparing the disk, please use Microsoft Word. The sum of Fifteen Thousand (N15,000) naira only (£50.00 or \$100 US Dollar) should be paid to journal account. The online version of the published articles are available at www.futminna.edu.ng and can be accessed through the Internet free of charge.

4. Organization

The background and purpose of the manuscript should be given first, followed by details of methods, materials, procedures and equipment used (where applicable). Findings, discussion, conclusions and recommendations should follow in that order. Appendices are not encouraged, but may be countenanced if considered necessary for the manuscript content to be understood. Specifically, author is/are advised to consult the current APA Manual for the details they may need.

5. Figures and Tables

Figures, charts and diagrams should be kept to a minimum, they must be numbered consecutively with roman numerals and a brief title. When submitting electronically, figures should be prepared separately, numbered consecutively and submitted in one of JPEG File interchange (jpg), CompuServe GIF (gif), and PC Paintbrush (pcx). Images should not exceed width of 450 pixels.

6. References

The author should ensure that the references given are complete. References to personal letters, papers presented at meetings and other unpublished material may be included. Where such materials may help in the evaluation of the paper, copies should be made available to the Managing - Editor. Papers that are part of a series should include a citation of the previous papers, and explanatory materials may be appended to the manuscript to avoid footnotes. Citation of an author's work in the text should follow the author / date method of citation; the surname of the author (s) and year of publication should appear in text. Generally, the format for citations in the Manuscript for references is that of the latest edition of the American Psychological Association (APA) format. At the end of the article, a reference list in alphabetical order must be given.

7. Disclaimer

The views and styles expressed in the articles in this publication are those of the individual authors and are not necessarily shared by the reviewers, the editors, the editorial consulting board, the Department of Science Education, or the Federal University of Technology, Minna.

Dr. Gambari, A. I.

Associate Professor

The Managing Editor, (JOSTMED),

Department of Science Education,

Federal University of Technology,

P. M. B. 65, Minna, Niger State, Nigeria.

E-mail: gambarii@yahoo.com; gambarisiaka@gmail.com
gambari@futminna.edu.ng ; gambari@codel.futminna.edu.ng

Website: www.gambariamosaisiaka.com

Mobile Phone: +234-816-680-7534; +234-803-689-7955; +234-805-558-6716

EDITORIAL BOARD

Editor-in-Chief	-	Dr. T. O. Alabi
Managing Editor	-	Dr. A. I. Gambari
Assistant Managing Editor	-	Mr. A. A. Yaki
Associate Editor	-	Mr. U. S. B. Idris
Associate Editor	-	Dr. O. C. Falode
Account Editor	-	Dr. (Mrs.) R. G. Wodu
Business Editor	-	Dr. (Mrs). A. Umeh

EDITORIAL ADVISERS

NAME	SUBJECT	ADDRESS
Prof. (Mrs.) V. I. Ezenwa	Chemistry Education	F.U.T. Minna
Prof. Afolabi Ayo Samuel	Civil & Chemical Engineering,	University of South Africa
Prof. M. O. Yusuf	Educational Technology	University of Ilorin
Prof. (Mrs.) R. Uyanga	Science Education	University of Uyo
Prof. P. A. O. Okebukola	Biology	L. A. S. U., Lagos
Prof. I. O. Inekwe	Mathematics Education	A.B.U. Zaria
Prof. Sanjay Mishra	Computer Cyber Security,	F.U.T. Minna
Prof. C. Ugodulunwa	Test and Measurement	UniJos
Prof. (Mrs.) U.N.V. Agwagah	Science Education	University of Nigeria Nsukka
Prof. J. M. Baba	Geography	F. U. T., Minna

SUSSCRIPTION RATES

Nigeria Rate (Personal)	N1,000.00
Rate (Institutions)	N2,000.00
Other Countries Rate (Personal)	\$25.00 / £15.00
Rate (Institutions)	\$35.00 / £22.00

All Cheques should be made payable to:

The Managing Editor, JOSTMED, Department of Science Education,
Federal University of Technology, Minna, Nigeria.
Subscription must be pre-paid and must include 10% handling charges

Copyright ©

Journal of Science, Technology, Mathematics and Education
All rights reserved

ISSN 0748-4710

CONTRIBUTORS TO THE ISSUE

1. ¹HUSSEIN, K. OKORO; ¹AFOLABI, O. IYANUOLUWA & ²ISMAIL. O. FOLORUNSHO
¹Environmental-Analytical Research Group, Department of Industrial Chemistry, Faculty of Physical Sciences, University of Ilorin, Ilorin, Nigeria
²Department of Geophysics, Faculty of Physical Sciences, University of Ilorin, Nigeria
Email: okoroowo@yahoo.com; Phone No: +234-703-237-0228
2. ¹ALHASSAN, D. U, ²MAMODU, A, ²JIMOH, M. O. & ³MOHAMMED, A.
¹Department of Physics, Federal University of Technology, Minna, Nigeria
²Department of Geology, Federal University of Technology, Minna, Nigeria
³Department of General Studies, Niger State College of Education, Minna, Nigeria
E-mail: a.usman@futminna.edu.ng Phone No: +234-806-594-0066
3. AKPANENO, A. F.¹ & ADIMULA, I. A.²
¹Department of Physics, Federal University, Dutsin-ma, Katsina State, Nigeria
² Department of Physics, University of Ilorin, Ilorin, Nigeria
E-mail: aakpaneno@fudutsinma.edu.ng Phone No: +234-803-503-7159
4. JONAH, S. A.¹. & OLASEHINDE, P. I.².
¹Department of Physics, Federal University of Technology, Minna, Nigeria
²Department of Geology, Federal University of Technology, Minna, Nigeria
E-mail: sajonah2003@yahoo.com Phone No: +234-806-468-7977
5. ¹RAFIU ABDULWAHEED ADEWUYI & ²ABU MALLAM
¹Physics Department, Federal University of Technology, Minna, Nigeria
²Phyics Department, University of Abuja, Abuja
E-mail: iyiolararafiu@futminna.edu.ng Phone No: +234-803-654-4246
6. ¹SALAU, RASAQ BOLAKALE, ²AMINU MUHAMMAD, ¹BISIRIYU, M. T.,
¹MOMOH, B. A. ²BISHIR USMAN & ³AHMED SALISU
¹Department of Chemistry, Federal University of Technology, Minna, Nigeria
²Department of Pure and Industrial Chemistry, Bayero University, Kano, Nigeria
³Department of chemistry, Umar Musa Yar'adua University, Katsina, Nigeria
E-mail: rasaqsalau@futminna.edu.ng Phone No: +234-905-349-1924
7. JONAH, S. A.; AKPOMIE, D. P.; EZEKWEBEKWE, L. O.; ISAH, E. A.;
MUHAMMED, A. N.; MOMOH, A. A.; OKOYE, C. K.; OKPARA, K. K.; ONI, N.
O., *ALADE, R. O.; *YAHAYA, G. A.; *ZUBAIR, R. O.; ONOJA, E. U. &
DARAMOLA, O.
Department of Physics, Federal University of Technology, Minna, Nigeria
*Department of Geology, Federal University of Technology, Minna, Nigeria
E-mail: sajonah2003@yahoo.com Phone No: +234-806-468-7977
8. ¹RAFIU ABDULWAHEED ADEWUYI & ²ABU MALLAM
¹Physics Department, Federal University of Technology, Minna, Nigeria
²Phyics Department, University of Abuja, Abuja, Nigeria
E-mail: iyiolararafiu@futminna.edu.ng Phone No: +234-803-654-4246

9. OGUNLADE, I.; AJILORE, O. R. & ADEBAYO, S. A.
Department of Agricultural Extension and Rural Development,
University of Ilorin, Ilorin, Nigeria
E-mail: sijuadeadebayo@yahoo.com; Phone No: +234-816-517-4309
10. BAKE, G. G.^{A*}, KOLO, A. W.^A KPOTUN, A.^A & SADIKU, S.O.E^A
Water Resources, Aquaculture and Fisheries Technology Department,
Federal University of Technology, Minna, Nigeria
E-mail: gabbygana@yahoo.co.uk Phone No: +234-80-6285-0992
11. SALAUDEEN, M. T¹, UZOMA, A. O² & BASHIR, M³
¹Department of Crop Production, Federal University of Technology, Minna, Nigeria
²Department of Soil Science and Land Management,
Federal University of Technology, Minna, Nigeria
³National Biotechnology Development Agency, Lugbe, Abuja, Nigeria
E-mail: mtsalaudeen@futminna.edu.ng Phone No: +234-806-333-0183
12. ISAH GBODO MOHAMMED
Department of Agricultural Science, School of Vocational Education,
Niger State College of Education, Minna, Nigeria
E-mail: isagbodo@gmail.com Phone No: +234-703-336-6199
13. MAMUDU, A. Y. & ABBAS M. A.
Crop Production Department, School of Agricultural and Agric Technology,
Federal University of Technology, Minna, Nigeria
Email: mamuduay@gmail.com Phone No: +234-805-705-5760
14. MURIANA, R. A.¹; ABUBAKRE, O. K.¹, & TAJIRI, S. B.²
¹Mechanical Engineering Department, Federal University of Technology, Minna.
²The Polytechnic of Sokoto State, Sokoto, Nigeria
E-mail: mraremu@yahoo.com Phone No: +234-703-784-9369
15. OLUTOYE, M. A.¹ & YUSUFF, A. S.²
¹Department of Chemical Engineering, Federal University of Technology, Minna.
²Department of Chemical and Petroleum Engineering,
AfeBabalola University, Ado-Ekiti, Nigeria
E-mail: m.olutoye@futminna.edu.ng Phone No: +234-803-405-9454
16. AZEEZ, O. S.¹ UBADIKE, C. J.², NASIR, A.³ & AGBAJELOLA, D. O.⁴
^{1,2&4}Department of Chemical Engineering, ³Department of Mechanical Engineering,
Federal University of Technology Minna, Niger State, Nigeria.
E-mail: tosin.azeez@tutminna.edu.ng Phone No: +234-806-836-0923
17. ORHEVBA, B. A.; OLORUNSOGO, S. T. & JIMADA, S. A.
Department of Agricultural & Bioresources Engineering,
Federal University of Technology, Minna, Niger State, Nigeria
E-mail: borhevba@yahoo.com, Phone No: +234-806-168-8880
18. YISA, B. M.
Department of Mathematics, University of Ilorin, Ilorin, Nigeria
E-mail: yisa.bm@unilorin.edu.ng Phone No: +234-8108192432

19. *YUSUF, S. I.¹, AIYESIMI, Y. M.¹, JIYA M.¹ & AWOJOYOGBE, O. B.²
¹ Department of Mathematics and Statistics,
Federal University of Technology, Minna, Nigeria
² Department of Physics, Federal University of Technology, Minna, Nigeria
*Email: shakirudeen.yusuf@futminna.edu.ng; amaams5@yahoo.com
Phone No: +234-706-929-7464
20. OLUTOLA, ADEKUNLE T. (Ph.D.) & DOSUNMU, SIMEON A. (Ph.D.)
Department of Educational Foundations, Faculty of Science and Education,
Federal University, Dutsin-Ma, Katsina State, Nigeria.
E-mail: aolutola@fudutsinma.edu.ng, Simipure@yahoo.com
Phone No: +234-806-029-7940; +234-809-785-0451
21. HASATU ABDULLAHI UMAR GANDUJE, Ph.D.; WUNTI YAKUBU IBRAHIM,
Ph.D & IGBAJI CLEMENT, Ph.D
Department Education, Bayero University, Kano
E-mail: Hafsatmohd@yahoo.com, yakubuibrahim@yahoo.com,
clementigbaji@gmail.com
Phone No: +234803-323-1925, +234-807-599-1701, +234-803-207-6249
22. SHITTU, AHMED TAJUDEEN (Ph.D)¹, GAMBARI, AMOSA ISIAKA (Ph.D)¹ &
OMIOLA MATTHEW ADETAYO (Ph.D)²
¹Department of Science Education, Federal University of Technology Minna, Nigeria
²Department of science Education, Federal University Dutsin-Ma, Nigeria
Email: t.shittu@futminna.edu.ng, gambari@futminna.edu.ng
Phone No: +234-816-218-2220
23. ODEWUMI, MICHAEL OLUBUNMI
Department of Educational Technology, University of Ilorin, Ilorin, Nigeria.
E-mail: agbegilerebunmi@yahoo.com Phone No: +234-703-435-5363
24. ZUBAIRU SULEIMAN ABUBAKAR¹ & ISYAKU ABDULRAHEEM²
¹Department of Educational Foundations and Curriculum, Faculty of Education,
Ahmadu Bello University, Zaria
²Dept. of primary Education Studies,
Kaduna State College of Education Gidan Waya, Kafanchan, Nigeria
E-mail: sazubairu@gmail.com Phone No: +234-806-545-1770
25. ALABI. T. O. (Ph.D)¹, EMMANUEL OMEIZA² & FALODE, C. O.³ (Ph.D)
¹Science Education Department, Federal University Of Technology, Minna, Nigeria
²Hill-Crest International School Minna, Nigeria
E-mail: dralabimotayo2012@gmail.com Phone No: +234-806-453-1808
26. ALADE, IBIWUMI A. Ph.D.¹ & AMODA, MORILI BISOLA Ph.D.²
¹Department of Educational Foundations and Instructional Technology,
²Department of Vocational and Technical Education,
Tai Solarin University of Education, Ijagun, Ijebu Ode, Ogun State, Nigeria
E-mail: ibiwumiabiodun@yahoo.com, curritech66@gmail.com,
bisolamoda@yahoo.com
Phone No: +234-803-243-7263

27. YUSUF, LATEEF ADEYEMI Ph.D
Department of Educational Management,
College of Education, Al-Hikmah University, Ilorin-Nigeria
E-mail: adedeyemi@yahoo.com Phone No: +234-806-064-5304
28. JIBRIL AHMED WUSHISHI, ABDULRAHMAN MUSA EWUGI &
BASHARU MUSA USMAN
¹Technical Drawing Department,
²Automobile Technology Department,
Niger State College of Education, Minna, Nigeria
³Education Technical Department, Kaduna Polytechnic, Kaduna, Nigeria
E-mail: jibrilahmed66@yahoo.co Phone No: +234-805-118-2083
29. YUSUF, H. T. (Ph.D), YUSUF, A. (Ph.D)
Department of Arts and Social Sciences Education, University of Ilorin, Ilorin, Nigeria
E-mail: hamdallatyusuf@yahoo.com; yuabra25@yahoo.com;
gambari@futminna.edu.ng
Phone: +234-803-395-3944
30. AKINNUBI, O. P. Ph.D¹ & YUSUF, H. A.²
¹Department of Educational Management, Al-Hikmah University, Ilorin, Nigeria
²Department of Educational Management, University of Ilorin, Ilorin, Nigeria
E-mail: akinnubipaul@yahoo.com, princesshabby@yahoo.com
Phone No: +234-805-221-4006, +234-803-482-5291
31. OFILI, GLORY OSARETIN (Ph.D)
Department of Educational Technology and Library Science,
University of Uyo, Akwa Ibom State, Nigeria
E-mail: gloryofili@yahoo.com Phone No: +234-805-173-7808
32. SULE, SAMUEL SARDAUNA
Department of Mathematics and Statistics, Yobe State University, Damaturu, Nigeria
E-mail: profsam8@gmail.com Phone: +234-706-189-3719
33. NSOFOR, C. C. Ph.D¹, OBUNADIKE, G. N², BELLO. A.³ & ABUBAKAR, H.⁴
¹Science Education Department, Federal University of Technology, Minna, Nigeria
²Computer Science Department, Federal University Deutse-M, Katsina State.
³Firdaus International School Minna, Nigeria
⁴School of Health Technology Minna, Nigeria
E-mail: chinnansofor@yahoo.com Phone No: +234-803-678- 3024


TABLE OF CONTENTS

1.	Distribution of Selected Heavy Metals and Other Elements in Coal Samples Collected From Coal Deposits in Kogi State, Nigeria. Hussein, K. Okoro; Afolabi, O. Iyanuoluwa & Ismail. O. Folorunsho.....	2
2.	Geotechnical Investigation of the Earth Subsurface Formation for its Suitability for High-Rise Buildings in Southern Part of paiko, Niger State, North Central Nigeria. Alhassan, D. U, Mamodu, A, Jimoh, M. O. & Mohammed, A.....	11
3.	Longitudinal Variation of Geomagnetic H-Field along the Magnetic Equator during Quiet Day. Akpaneno, A. F. & Adimula, I. A.	26
4.	Qualitative Induced Polarisation Validation of the Results of A 2km ² VES Study Completed at the Gidan Kwano Campus Phase II Development, Federal University of Technology, Minna, Nigeria. Jonah, S. A. & Olasehinde, P. I.	38
5.	Investigation of Contamination Plumes at Mechanic Road, Bosso Waste Disposal Site Using Geophysical and Geochemical Approach. Rafiu Abdulwaheed Adewuyi & Abu Mallam.....	52
6.	Investigation of the Phytochemical and Nutritional Potentials of Locally Prepared Aqueous Extract of <i>Sorghum Vulgare's</i> Stalk. Salau, Rasaq Bolakale, Aminu Muhammad, Bisiriyu, M. T., Momoh, B. A. Bishir Usman & Ahmed Salisu..	64
7.	A Dual Topographic-Petrographic Control for A 1km ² VES-IP Study Completed at the Gidan Kwano Campus Phase II Development, Federal University of Technology, Minna, Nigeria. Jonah, S. A.; Akpomie, D. P.; Ezekwebekwe, L. O.; Isah, E. A.; Muhammed, A. N.; Momoh, A. A.; Okoye, C. K.; Okpara, K. K.; Oni, N. O., *Alade, R. O.; *Yahaya, G.A.; *Zubair, R.O.; Onoja, E.U. & Daramola, O...	73
8.	Detection of Leachate Plumes Migration Using Vertical Electrical Sounding Method and Physicochemical Analysis at Kpangungun, Minna, Niger State, Nigeria. Rafiu Abdulwaheed Adewuyi & Abu Mallam.....	86
9.	Marketing of Fuel Wood as Source of Livelihood to Rural Women in Selected Villages of Kwara State, Nigeria. Ogunlade, I.; Ajilore, O. R. & Adebayo, S. A.....	96
10.	Relationship between Basic Morphometric Measurements and Cross Carcass Variation in the Body Parts of Trunk Fish (<i>Mormyrus Rume</i>) From Agaie- Lapai Dam, Niger State, Nigeria. Bake, G. G., Kolo, A.W., Kpotun, A. & Sadiku, S.O.E.....	105
11.	Review of Maize Streak Virus Disease and Management Strategies in Sub-Saharan Africa. Salaudeen, M. T, Uzoma, A. O. & Bashir, M.....	120
12.	Meat Yield and Carcass Quality of Castrates and Non-Castrate Savanna Brown Goats Fed <i>Leucaena Leucocephala</i> Supplemented with Free Grazing. Isah Gbodo Mohammed.....	136
13.	Response of Maize to Intercropping of Soyabean on <i>Striga Hermonthica</i> Control in Minna, Niger State, Nigeria. Mamudu, A. Y. & Abbas M. A.	142

14.	Comparative Effects of Heat-Treatment on Tensile Strength and Electrical Conductivity of Formulated Al- Ni and Al- Zn Alloys. Muriana, R. A.; Abubakre, O. K., & Tajiri, S. B.....	150
15.	Harnessing the Potential of Renewable Energy for an Economy Less Dependant on Fossil Fuel: Nigeria as a Case Study. Olutoye, M. A. & Yusuff, A. S.	162
16.	Optimization of Yellow Dextrin for the Production of Starch Based Adhesive. Azeez, O. S. Ubadike, C. J., Nasir, A. & Agbajelola, D. O.	169
17.	Comparative Assessment of Physicochemical Properties of Locally and Mechanically Produced Groundnut (<i>Arachis Hypogaea</i>) Oil Stored Over a Period of Time. Orhevba, B. A.; Olorunsogo, S. T. & Jimada, S. A.....	176
18.	Relativity in Numerical Performances of Certain Polynomials in TAU Method. Yisa, B. M.....	183
19.	Detection of Blockage in a Radially Symmetric Cylindrical Pipe Using Diffusion Magnetic Resonance Equation. Yusuf, S. I., Aiyesimi, Y. M., Jiya M. & Awojoyogbe, O. B.....	192
20.	Assessing the Impact of Study Habit and Gender on Science Achievement of Secondary School Students in Katsina State, Nigeria. Olutola, Adekunle T. & Dosunmu, Simeon A.....	202
21.	National Policy on Education and Challenges of Implementation. Hasatu Abdullahi Umar Ganduje, Wunti Yakubu Ibrahim, & Igbaji Clement.....	210
22.	Survey of Belief and Attitude on Pre-Service Science Teachers' Behavioural Intention towards Information Technology Use for Teaching in a Nigerian University. Shittu, Ahmed Tajudeen, Gambari, Amosa Isiaka & Omiola Matthew Adetayo..	218
23.	Perception of Obafemi Awolowo University Fine and Applied Arts Students' on Ease of Use of Drawing Media. Odewumi, Michael Olubunmi.....	226
24.	Impact of 2 Dimensional Shapes on Primary School Pupils' Academic Performance in Mathematics in Zaria Metropolis, Kaduna State. Zubairu Suleiman Abubakar & Isyaku Abdulraheem.....	236
25.	Effects of Videodisc Mediated and Computer Assisted Instructional Packages on Achievement of Junior Secondary School Mathematics Students in Geometry in Minna, Nigeria. Alabi. T. O., Emmanuel Omeiza & Falode, C. O.....	241
26.	Factors Influencing Differential Gender Participation in Curriculum Implementation for Millennium Development. Alade, Ibiwumi A. & Amoda, Morili Bisola.....	252
27.	A Multipredictor Evaluation of Secondary School Students' Academic Performance: Issues and Implications for Educational Accountability. Yusuf, Lateef Adeyemi.....	261

28. Skills Required By Students for Virtual Learning in Tertiary Institutions of Niger State. Jibril Ahmed Wushishi, Abdulrahman Musa Ewugi & Basharu Musa Usman..... 269
29. Effect of Class-Wide Peer-Tutoring Technique on the Performance of Slow Learners in Economics in Ilorin-South, Kwara State Nigeria. Yusuf, H. T. & Yusuf, A..... 277
30. An Investigation into Conflict Resolution Strategies and Administrative Effectiveness in Kwara State-Owned Colleges of Education. Akinnubi, O. P. & Yusuf, H. A.... 286
31. Effects of PowerPoint Instructional Medium on Biology Students' Academic Achievement and Retention in Uyo Akwa-Ibom State. Ofili, Glory Osaretin..... 294
32. Motivational Effects on Senior Secondary Students' Academic Performance in Mathematics in Abuja, Nigeria. Sule, Samuel Sardauna..... 301
33. Globalization of Human Capacity Building through Information and Communication Technology in Teacher Education in Nigeria. Nsofor, C. C., Obunadike, G. N, Bello, A. & Abubakar, H.....308

JOSTMED, VOLUME 11(3), DECEMBER, 2015



ARTICLES AND RESEARCH REPORTS ON SCIENCE

INVESTIGATION OF THE PHYTOCHEMICAL AND NUTRITIONAL POTENTIALS OF LOCALLY PREPARED AQUEOUS EXTRACT OF *SORGHUM VULGARE*'S STALK

¹SALAU, RASAQ BOLAKALE, ²AMINU MUHAMMAD, ¹BISIRIYU, M. T., ¹MOMOH, B. A.
²BISHIR USMAN & ³AHMED SALISU

¹Department of Chemistry, Federal University of Technology, P.M.B 65, Minna, Nigeria

²Department of Pure and Industrial Chemistry, Bayero University, Kano, Nigeria

³Department of chemistry, Umar Musa Yar'adua University, Katsina, Nigeria

E-mail: rasaqsalau@futminna.edu.ng Phone No: +234-905-349-1924

Abstract

Sorghum vulgare is a beneficial plant whose stalks are still under-explored. The need to examine its nutritional and medicinal values becomes critical as its stalk decoctions are becoming widespread local drink preparations. Samples of sorghum (guinea corn) were obtained from six selected farm lands in Minna, North central zone of Nigeria. They were dried, finely ground and kept as both whole and extract samples. Extraction by decoction method was used. Proximate composition and elemental determinations were carried out on both sample types. Phytochemical screening were also carried out on only aqueous extract which is the only form in which the local drinks are prepared and consumed. The proximate shows prominent contents of ash, crude fibre, crude fat and carbohydrate values of whole and extract samples value which are (3.00%, 15%), (36.47%, Nil), (16.00%, 11.50%), (32.41%, 73.05%) respectively. Similarly the mean load of major essential elements: (Ca, Na, K and Mg) in mg/100g of the two forms showed (24.50, 40.30), (23.30, 15.70), (212.20, 142.90) and (14.00, 13.30). The mean load of trace essential elements: Fe, Zn, Mn and Cu gives (52.00, 25.00), (5.10, 5.60), (2.80, 2.70), and (0.70, 0.30) respectively. The aqueous extract showed prominent presence of alkaloid, cardiac glycoside, tannins and saponins while flavonoid was moderately present. The overall studies show that sorghum stalk possibly is not only capable of supplying nutrients but also could be a potential part of medicinal therapeutic formations.

Keywords: *Sorghum vulgare*, nutritional, medicinal, decoction, phytochemical

Introduction

Sorghum vulgare is commonly known as guinea corn plant. It is an economic crop because of the utility of all parts of the plant. Its grain is ranked the fifth position as the most cultivated cereal all over the world apart from wheat, rice maize and barley (Ghasemi *et al.*, 2012). The record by FAO (2015) shows the production of sorghum is on rapid increase within the decade in Africa as at 2015. Sorghum is widely cultivated in West African sub-region.

The stalk of *sorghum vulgare*, locally called 'poporo' in south west part of Nigeria, when soaked in hot water yields an extract that has been used as food as well as colorant (Ayub *et al*, 2010). It is also taken as refreshing and medicinal drink. Previous study of sorghum plant carried out by Sonon and Bolsen (1996) revealed the presence of nutrients in sorghum plant as food additive or drink in extracted form. Similarly, the medicinal potential of any part of sorghum can be deduced from the result of extensive phytochemical studies of the entire plant as observed by Lewington (1990), Sofowora (1993), Muhammad and Amusa (2005) and Nydia *et al.* (2013). Their overall findings, buttressed the presence of some phytochemicals such as alkaloids, saponins and tannins in different parts of the sorghum plant.

The fact that sorghum stalk is largely available and widely used in food and as indigenous medicament and herbal remedies makes the evaluation of the nutrient and chemical content worth studying. The two local modes by which sorghum stalk is analyzed are the solid particles (ground whole stalk of the plant) and liquid (hot water extract from soaked plant stalk). This study evaluated comparatively, the water extract of the sorghum stalk which is the mode in which the plant is actually consumed and the whole sorghum stalk powder for their nutritional and phytochemical contents.

Materials and Methods

Collection and Preparation of Sample

The sorghum stalks were collected from six different farms situated around Chanchaga and Dutsen Kura in Minna, Niger state, North Central zone of Nigeria. The samples were obtained within June and July of the year. The Chemistry laboratory of the Federal University of Technology, Minna, Niger State of Nigeria was used for the laboratory practical. The collected samples were chopped into smaller bits by stainless steel knife and weighed. The chopped samples were put in crucibles and covered by perforated aluminum foil and transferred to oven for drying at 110^oC for 72 hours. The samples were weighed at different intervals until constant weight are obtained. The final weights were taken. The dried stalks were blended in an electric blender until dry fine particles were obtained. The powdered samples were then put in a transparent nylon, labeled and kept for further use. Decoction method was used for extraction. The liquid extract of each of the sample was prepared by boiling 20g of the fine samples in 200 cm³ of distilled water for 30 minutes and allowed to steep for 24 hours. The aqueous extracts were then filtered to obtain extracts which were labeled and used for further analyses.

Proximate Analysis of Sample

The proximate composition analysis was done to estimate the ash, protein, crude fat, fibre, and carbohydrate of the samples. The moisture content was not done on the aqueous extracts due to their infinitum water content. The crude fat content was obtained using soxhlet apparatus and extracting with petroleum ether (boiling point 60-90 ^oC) based on the recommendation in (Method 945.16) of Association of Official Analytical Chemists' methods (AOAC, 2005). Determination of the nitrogen content was done by micro Kjeldahl method as described by Pearson (1976). The protein contents were obtained by the conversion from nitrogen content (Pearson, 1976) which was multiplied by a factor of 6.25. Carbohydrate was determined by difference of the sum of other compositions from whole percentage. The moisture, ash and fibre content determinations were carried out (method 985.29) of the Association of Official Analytical Chemists' methods (AOAC, 2005).

Digestion of Sample for Mineral Analysis

Wet acid digestion procedure was followed in digesting the samples. 2.00g of each of the dried samples and 10.00g of aqueous extract were separately weighed into beakers. 5cm³ of perchloric acid was added followed by 20cm³ of nitric acid. A few glass beads was added as anti-bumping agents. The mixture was heated on a hot plate at a temperature range of 120^oC to 200^oC. The mixture was swirled with occasional addition of 5cm³ of nitric acid until a clear digest solution was obtained. The mixture was allowed to cool and was filtered through acid wash filter paper into a 100cm³ volumetric flask and made up to the mark. The filtrate was transferred into a polyethylene container temporarily before subsequent determination of the mineral contents.

Instrumental Determination of Minerals

Atomic absorption Spectrophotometer (BUCK scientific ACCUSYS 211 model no210 VGP) was used to determine Calcium, Zinc, Magnesium, Manganese, Copper and Iron. Flame photometer (model JENWAY PFP7) was used to determine the concentration of Potassium and Sodium in the samples.

Qualitative Phytochemical Examination

The aqueous extracts of the sorghum stalk was subjected to the following standard tests as described in Amadi *et al.* (2004):

Alkaloids

Mayer's / Hager's test: 2 cm³ of each water extract of sorghum stalk was hydrolysed with hydrochloric acid, filtered and divided into two portions. The first portion was treated with 1cm³ of a Potassium Mercuric Iodide (Mayer's reagent) in water-bath, while the second portion was reacted with saturated picric acid solution (Hager's reagent). The developments of yellow precipitates in both tests indicate positive result for alkaloids.

Flavonoids

NaOH, Lead acetate: Few drops of sodium hydroxide was added to 5 cm³ of each of the sorghum extracts. Hydrochloric acid was then added to acidify and hence, yellow precipitate disappeared to give clear the coloration that indicated positive result for flavonoids.

Shinoda test: Lead Acetate Test was performed by treating the water extracts of the sodium stalk with few drops of lead acetate solution. Yellow precipitate was formed. Magnesium ribbon was dropped in another 5 cm³ portion of the water extract of sorghum stalk followed by drop-wise addition of hydrochloric acid. The yellow precipitate turned to red colour to indicate a positive result for flavonoid.

Carbohydrates

Molisch's test : 5 cm³ of distilled water was added to the water extract of sorghum stalk and then filtered. Two drops of alcoholic α - naphthol solution was then added. Violet ring was formed at the junction to indicate positive result for carbohydrate.

Benedict's test: 5 cm³ of distilled water was added to the water extract of sorghum stalk and then filtered. Few drops of Benedict's reagent were then added. Orange red precipitate appeared to indicate positive result for sugar.

Fehling test: 5 cm³ of distilled water was added to the water extract of sorghum stalk and then filtered. Few drops of Fehling's reagent were then added to indicate positive result for reducing sugar.

Cardiac glycosides

Ferric Chloride test: 3 cm³ of dissolved FeCl₃ in glacial acetic acid was added to 2 cm³ of the water extract of the sorghum stalk was dissolved and left to stand for a minute. Conc. H₂SO₄ was later added along the sides of the test tube containing the mixture. Blue colour appeared in acid layer to indicate positive result for cardiac glycosides.

Tannins

Gelatin test: 3 cm³ of the water extract was diluted with 5cm³ of distilled water. Few drops of 1% of gelatinous sodium chloride solution were then added. A gelatinous precipitate was formed to indicate the result for tannins.

Ferric Chloride test: 3cm³ of the water extract was mixed with 5cm³ of distilled water. Then two drops of 10% ferric chloride were added to the mixture. Intense green colour was formed that indicated the result for tannins.

Saponins

Froth test: 5 cm³ portion of the water extract was treated with 25 cm³ of distilled water. The mixture was vigorously shaken in a calibrated cylinder. Frothing occurred and then later formed 1 cm³ layer to indicate positive result for saponin.

Foam test: 2 cm³ portion of the extract was shaken with 5 cm³ of distilled water. The mixture was vigorously shaken in a calibrated cylinder. Persistent foaming for several minutes was observed to indicate positive result for saponin.

Discussions

Proximate Composition

Table 1: The mean proximate contents (%) of both water extract and whole powdered sorghum stalks

Content	WS	ES
Moisture	6.00 ±0.25	D
Ash	3.00±0.12	15.00±0.38
Crude fat	16.00±0.31	11.50±0.62
Crude fibre	36.47±0.43	N.D
Crude protein	6.12±0.10	0.45±0.05
Carbohydrate	32.41±0.51	73.05±0.76

WS: Whole Sample, ES: Water Extract Sample, D: Disregarded, ND: Not Detected. Results are presented as means of six replicates (n=6)

The results in Table 1 represent the percentage proximate composition of both water extract and the ground whole stalk samples. The proximate composition of the water extract was devoid of fibers and by virtue of its being water based with water at infinitum, the moisture composition was disregarded. However, its ash content (15.00± 0.25) was quite substantial relative to that of the whole stalk (3.00±0.12). The ash value is also higher than what was obtained by Oyetayo and Ogunrotimi (2012) for whole sorghum leaf. The medicinal plants: *Xylopiya aethiopica*, *Blighia sapida* and *Parinari polyandra* (Abolaji *et al*, 2007) also have values (2.53±1.20 to 4.37±0.85) which are comparable with that obtained for whole stalk in the study but still lower than that of the aqueous extract. This substantial constituent of ash depicts the aqueous extract as a nutritional potential source of mineral elements. The water extracted

sample has more appreciable carbohydrate content as well as comparable crude fat than that of the whole stalk samples. The value reported by Agoreyo *et al* (2012) of similar plants of the round and oval varieties of unripe fruits of *Solanum melongena*. The water extracted sorghum sample is by this, a good source of energy nutrients as demonstrated by Aremu *et al* (2006 and 2007). However, the set back of the sorghum extract lied in its poor content of protein and fibres which are quite substantial in its whole stalk stuff.

Mineral Analysis

Table 2: The mean mineral content (mg/100g) of both water extract and whole powdered sorghum stalks

Elements	WS(mg/100g)	ES(mg/100g)
Ca	45.30±0.33	40.30±0.23
Na	23.30±0.28	15.70±0.14
K	212.20±0.55	142.90±0.48
Mg	14.00±0.12	13.30±0.15
Fe	52.00±0.51	25.00±0.49
Zn	5.60±0.15	5.10±0.13
Mn	14.00±0.24	2.80±0.10
Cu	0.70±0.11	0.30±0.09

WS: Whole Sample, ES: Water Extract of Sample.

Results are presented as means of six replicates (n=6)

The results of the mineral contents of water extract and whole stalk samples were shown in Table 2. In both samples, potassium has the highest presence (142.90±0.48 and 212.20±0.55 mg/100g) respectively. The value obtained for water extract compares well with the value reported by Salau (2012a) for Ginger fruit juice (100.60 – 113.80 mg/100g). As expected, the values of the mineral elements of the whole stalk sample are generally higher than the water extract especially potassium, iron and manganese. However, the overall values of mineral elements obtained portrayed the water extract samples as nutritious because of the presence of these beneficial elements (Aremu *et al*, 2005). Manganese and copper are in trace quantities which are typical of many stuff of edible plants origin (Oyetayo & Ogunrotimi, 2012; Abolaji *et al*, 2007). Their values in the water extract samples still shows that its consumption would be a source of these essential trace elements. These elements were found to be only detectable in local soya milk preparations as well as cow milk (Salau, 2012b). The value of iron obtained for the aqueous extract could satisfy the adequate intake (A.I.) of 8-30 mg as recommended by CDC-MMWR (1998). The investigation by Oladiji, *et al* (2007) on the water extract of Sorghum stem bark indicated its efficacy in the management of iron deficiency in a local set up.

Phytochemical Screening of Sample Extract

Table 3: The phytochemical constituents of the aqueous extract of sorghum stalk

S/No	Phytochemicals	Degree of phytochemicals' presence
1	<i>Alkaloid</i>	
	Mayer's Reagent	+++
	Hager's Reagent	+++
2.	<i>Flavonoid</i>	
	Alkaline Reagent	+
	Lead Acetate Test	++
	Shinoda Test	+++
3	<i>Carbohydrate</i>	
	Molisch's Test	++
	Benedict's Test	+
	Fehling's Test	+
4.	<i>Cardiac glycoside</i>	
	Keller-Kiliani Test	+++
5.	<i>Tannin</i>	
	Gelatin	+++
	Ferric Chloride Test	+++
6.	<i>Saponin</i>	
	Froth Test	++
	Foam Test	++

+++ = Highly present, ++ = Moderately present, + = Fairly

The screening of the aqueous extract of the *Sorghum vulgare*, in Table 3, revealed the presence of alkaloids, cardiac glycosides and tannins in relatively high degree. These chemical contents are comparable to reports made by (Mamta & Jyoti (2012), Prachant et al (2011) and Edeoga *et al* (2005) on plants parts suspected to be of medicinal importance. The presences of other phytochemicals: saponins, flavonoids and carbohydrate are to lesser degree. The activities of these phytochemicals have proved relevant in pharmaceutical formulations, therapeutic purposes as well as medical prophylaxis (Sofowora, 1993). Alkaloids, tannins, flavonoids and saponins are known to be antimicrobial, antidiarrheal and anthelmintic in activities (Remington, 2005). Cardiac glycoside is especially beneficial as antidiarrheal. The presence of these phytochemicals indicates how beneficial the common local water extract of guinea corn stalk could be.

Conclusion

The results of this study revealed that aqueous extract of sorghum stalk has substantial nutritive values when extracted which is the form in which people consume it. It was observed that the iron, sodium, potassium, calcium and magnesium contents were high. *Sorghum vulgare* decoction is therefore a potential mineral source. It could be especially relevant in the management of anaemia based on its richness in iron which is an active element in the

haemoglobin and red blood cells formation. Prominent calcium presence and its presence in reasonable amount in the extract, is a material for strong bones and teeth structure. Calcium is contained in marrows where red blood cells are built. *Sorghum vulgare* was also found to contain phytochemicals of medicinal importance such as: flavonoids, tannins, alkaloids and saponins. All these phytochemicals, collectively, play crucial roles as antimicrobial, anthelmintic and antidiarrheal agents. The *Sorghum vulgare* stalk decoction drink, as locally prepared, has a great nutritional and medicinal potential. It will also find great utilities in the pharmaceutical as well as food and feed industries.

References

- Abolaji, O. A., Adebayo, A. H. & Odesanmi, O. (2007). Nutritional quality of three medicinal plant (*Xylopiya aethiopica*, *Bilghia sapida* & *Parinari polyandra*) commonly used by pregnant women in western part of Nigeria. *Pakistan Journal of Nutrition*, 6(6), 665 - 668.
- Agoreyo, B. O., Obansa, E. S. & Obanor, E. O. (2012). Comparative nutritional and phytochemical analyses of two varieties of *Solanum melongena*. *Science World Journal* 7 (1), 5 – 8.
- Amadi, B. A., Agombo, E. N. & Ibegbule, A. (2004). *Research methods in biochemistry*. Owerri: Supreme Publishers. Pp89-115.
- AOAC (2005). Association of Official Analytical Chemists. Official method of analysis. Washington D. C
- Aremu, M. O., Olonisakin, A, Opaluwa, O. D., Mohammed, Y, & Salau, R. B. (2007). Nutritional qualities assessment of tilapia fish (*Tilapia quineensis*). *Indian Journal of Multidisciplinary Research*, 3(3), 443 - 456.
- Aremu, M. O., Olonisakin, A., Otene, I. W. & Atolaye, B. O. (2005). Mineral content of some agricultural products grown in the middle belt of Nigeria. *Oriental Journal of Chemistry*, 21, 419 - 426.
- Aremu, M. O., Olaofe, O. & Akintola, E. T. (2006). A comparative study on the chemical amino acid of some Nigerian under –utilized legume flours. *Pakistan Journal of Nutrition*, 5, 34 - 38.
- Ayub, M., Nadeem, M., Thir, M., Ghafoor, A., Ahmed, Z. & Naeem, M. (2010). Comparative studies on the growth, forage yield and quality of sorghum (*sorghum bicolor* L.) varieties under irrigated conditions of Faisalabad. *Journal of Life and Social Sciences*, 8(2), 94-97.
- CDC-MMWR (1998), Centers for disease control – morbidity and mortality weekly report. Recommendations to prevent and control iron deficiency in the United States; 47 (No. RR-3) p. 5.
- Edeoga, H. O., Okwu, D. E. & Mbaebie, B. O. (2005). Phytochemical constituents of some Nigerian medicinal plants. *African Journal of Biotechnology*, 4 (7), 685 - 688.

- FAO (2015). Food and Agriculture Organization of the United Nations. *Food outlook, Biannual Reports on Global Food Markets*. October, 1, 2015. Rome.
- Ghasemi, A., Karim. M. H. & Ghasemi, M. M. (2012). Green fodder yield performance of different varieties of sorghum grown in an arid region. *International Journal of Agriculture and Crop Sciences, IJACS*, 4(13), 839-843. Available at www.ijagcs.com
- Lewington, A. (1990). *Plants for people*. Natural history museum. London. Pp 135-167.
- Mamta, S. & Jyoti, S. (2012). Phytochemical screening of *Acorus calamus* and *Lantana camara*. *International Research Journal of Pharmacy*, 3(5), 324-326.
- Muhammad, S. & Amusa, N. A. (2005). The important food crops and medicinal plants of North-western Nigeria. *Research Journal of Agriculture and Biological Sciences*, 1(3), 254 - 260.
- Nydia, E. B. C., Patricia, I. T. C., Ana, I. L. O., Benjamin, R. W., Rosario, M. R. S. & Sergio, O. S. S. (2013). Effect of defatting and decortication on distribution of fatty acids, phenolic and antioxidant compounds in sorghum (*Sorghum bicolor*) bran fractions. *International Journal of Food Science and Technology*, 48(6), 1115 – 1338.
- Oladiji, A. T., Jacob, T. O. & Yakubu, M. T. (2007). Anti-anaemic potentials of aqueous extract of *Sorghum bicolor* (L.) moench stem bark in rats. *Journal of Ethnopharmacology*, 111, 651 – 656.
- Oyetayo, F. L. & Ogunrotimi, A. I. (2012). Guinea corn (*Sorghum vulgare*) leaf, a potential source of nutrients and phytochemicals. *Food and Public Health*, 2(6), 228 – 230.
- Pearson, D. (1976). *Chemical analysis of food, 7th Edition*. London: Churchill Livingstone.
- Prashant, T., Bimlesh, K., Mandeep, K. & Harleen, K. (2011). Phytochemical screening and extraction: A review. *Internationale Pharmaceutica Scientia*, 1(1), 98 - 106.
- Remington, J. P. (2005). *The science and practice of pharmacy*, 21st edition. Lippincott: Williams and Wilkins.
- Salau, R. B. (2012a). Nutritional comparisons of milk from two cow specie and local preparations of Soya milk drinks. *IOSR Journal of Applied Chemistry*, 2 (6), 41 – 44.
- Salau, R. B. (2012b). Comparative evaluation of analytical techniques for the quantification of potassium in fruit juices and corresponding beverages. *Journal of Science, Technology, Mathematics and Education (JOSTMED)*, 8(3), 9 - 15.
- Sofowora, A. (1993). *Medicinal plants and traditional medicine in Africa*. Ibadan: Spectrum Books Limited.

Sonon, R. N. & Bolsen, K. K. (1996). Effects of cultivar and stage of maturity on agronomic characteristics, chemical composition, and nutritive value of forage sorghum silages. *Advanced Agricultural Research*, 5 (3),1 - 17.